


LED Panel Lights


are innovative lighting fixtures design for both residential and commercial application offering efficient illumination with sleek aesthetics. These lights features a flat panel (Slim Profile) design with an array of LED's embedded within providing uniform brightness and superior energy efficiency.

BR-ALD01-003 20w (30cm x 30cm)




Description: Recess panel.
Aluminum housing with frosted acrylic diffuser.
With power supply.
Light Source: LED
Dimension: 30cm x 30cm
Power Consumption: 20w
Voltage: 220-240v
Color Family: Daylight 6000k

BR-ALD01-003 40w (60cm x 60cm)




Description: Recess panel.
Aluminum housing with frosted acrylic diffuser.
With power supply.
Power Consumption: 40W
Lumen: 4437 Lumens
Dimensions: 60cm x 60cm
Voltage: 220-240v
Color Family: Daylight 6000k

BR-ALD01-003 72w (60cm x 120cm)




Description: Recess panel.
Aluminum housing with frosted acrylic diffuser.
With power supply.
Light Source: LED
Dimension: 60cm x 120cm
Power Consumption: 72W
Lumen: 10570 Lumens
Voltage: 220-240v
Color Family: Daylight 6000k

BR-ALD01-003 24w (30cm x 60cm)




Description: Recess panel.
Aluminum housing with frosted acrylic diffuser.
With power supply.
Light Source: LED
Dimension: 30cm x 60cm
Power Consumption: 24W
Lumens: 2572 Lumens
Voltage: 220-240v
Color Family: Daylight 6000k

BR-ALD01-003 48w (30cm x 120cm)



Description: Recess panel.
Aluminum housing with frosted acrylic diffuser.
With power supply.
Light Source: LED
Dimension: 30cm x 120cm
Power Consumption: 48W
Lumen: 5300 Lumens
Voltage: 220-2240V
Color Family: Daylight 6000k

BR01-004 40W



Description: Recess panel.
Aluminum housing and frosted acrylic diffuser.
With power supply.
Light Source: Backlit LED
Dimension: 60cm x 60cm
Power Consumption: 40w
Voltage: 220v
Color Family: Daylight 6500k

6 Watts

BR-ALD06-001 Round



Description: Surface type.
Die-cast aluminum body in the powder-coated paint finish, with bracket, screws, and power supply.
Light Source: LED SMD
Dimension: Ø120mm x H32mm
Power Consumption: 6W
Voltage: 220-240v
Color Family:
Cool White 4000k - Daylight 6000k - Warm White 3000k

BR-ALD06-001 Square



Description: Surface type.
Die-cast aluminum body in the powder-coated paint finish, with bracket, screws, and power supply.
Light Source: LED SMD
Dimension: L122mm x W122mm x H31mm
Power Consumption: 6W
Voltage: 220-240v
Color Family:
Cool White 4000k - Daylight 6000k - Warm White 3000k

LED Surface Lights

Are versatile lighting fixtures designed for easy installation directly into ceilings, walls, or other surfaces. They offer efficient illumination with latest LED technology providing both functionality and style to various indoor spaces.



12 Watts

BR-ALD06-001 Round



Description: Surface type.
Die-cast aluminum body in the powder-coated paint finish, with bracket, screws, and power supply.
Dimension: Ø 172mm x H 32mm
Power Consumption: 12W
Voltage: 220-240v
Color Family:
Cool White 4000k - Daylight 6000k - Warm White 3000k

BR-ALD06-001 Square



Description: Surface type.
Die-cast aluminum body in the powder-coated paint finish, with bracket, screws, and power supply.
Item Size: L 172mm x W 172mm x H31mm
Power Consumption: 12W
Voltage: 220-240v
Color Family:
Cool White 4000k - Daylight 6000k - Warm White 3000k

18 Watts

BR-ALD06-001 Round



Description: Surface type.
Die-cast aluminum body in the powder-coated paint finish, with bracket, screws, and power supply.
Item Size: Ø 225mm x H 32mm
Power Consumption: 18W
Voltage: 220-240v
Color Family:
Cool White 4000k - Daylight 6000k - Warm White 3000k

BR-ALD06-001 Square



Description: Surface type.
Die-cast aluminum body in the powder-coated paint finish, with bracket, screws, and power supply.
Dimension: L 224mm x W 224mm x H 32mm
Power Consumption: 18W
Voltage: 220-240v
Color Family:
Cool White 4000k - Daylight 6000k - Warm White 3000k


LED Downlight

Are modern lighting fixtures designed to be recessed into ceilings, offering efficient and uniform illumination. Featuring a flat panel design with integrated LED's They emit light downward, providing both ambient and task lighting with their slim profile and energy LED technology, these panel are an ideal choice for residential and commercial application, adding both functionality and style to interior space.




6 Watts

BR-ALD07-009



Description: Recess Downlight.
Die-cast aluminum body with frosted acrylic diffuser and power supply.
Light Source: LED SMD
Dimension: Ø 120mm X H 9mm
(Hole size: Ø 106mm)
Power Consumption: 6W
Voltage: 85-265v
Color Family:
Cool White 4000k - Daylight 6500k - Warm White 3000k

BR-ALD07-009



Description: Recess Downlight.
Die-cast aluminum body with frosted acrylic diffuser and power supply.
Light Source: LED SMD
Dimension: L 120mm x W 120mm x H9mm
(Hole size: L106mm x W 106mm)
Power Consumption: 6W
Voltage: 85-265v
Color Family:
Cool White 4000k - Daylight 6500k - Warm White 3000k


6 Watts Tri-Color

BR-ALD07-009



Description: Recess Downlight.
Die-cast aluminum body with frosted acrylic diffuser and power supply.
Light Source: LED SMD
Dimension: Ø 118mm x H 18mm
Power Consumption: 6W
Voltage: 85-265V
Color Family: Tri-Color

BR-ALD07-009



Description: Recess Downlight.
Die-cast aluminum body with frosted acrylic diffuser and power supply.
Light Source: LED SMD
Dimension: L 118 x W 118x H 11mm
(Hole Size: L x W 106mm)
Power Consumption: 12w
Voltage: 85-265v
Color Family: Tri-Color

12 Watts

BR-ALD07-009



Description: Recess Downlight.
Die-cast aluminum body with frosted acrylic diffuser and power supply.
Light Source: LED SMD
Dimension: Ø 170mm X H 9mm
(Hole size: Ø 156mm)
Power Consumption: 12W
Voltage: 85-265v
Color Family:
Cool White 4000k - Daylight 6500k - Warm White 3000k


12 Watts Tri-Color

BR-ALD07-009




Description: Recess Downlight.
Die-cast aluminum body with frosted acrylic diffuser and power supply.
Light Source: LED SMD
Item Size: Ø 167mm X H 18mm
Power Consumption: 12W
Voltage: 85-265v
Color Family:Tri-Color

BR-ALD07-009



Description: Recess Downlight.
Die-cast aluminum body with frosted acrylic diffuser and power supply.
Light Source: LED SMD
Dimension: L170mm x W 170mm x H 9mm)
(Hole size: L 106mm x W 106mm)
Power Consumption: 12W
Voltage: 85-265v
Color Family:
Cool White 4000k - Daylight 6500k - Warm White 3000k

BR-ALD07-009



Description: Recess Downlight.
Die-cast aluminum body with frosted acrylic diffuser and power supply.
Light Source: LED SMD
Dimension: L 166 x W 166 x H 11mm
(Hole Size: L x W 155mm)
Power Consumption: 12w
Voltage: 85-265v
Color Family:Tri-Color

15 Watts

BR-ALD07-009



Description: Recess Downlight.
Die-cast aluminum body with frosted acrylic diffuser and power supply.
Light Source: LED SMD
Dimension: Ø 190mm X H 9mm (Ø 175mm)
Power Consumption: 15W
Voltage: 85-265v
Color Family:
Cool White 4000k - Daylight 6500k - Warm White 3000k


18 Watts

BR-ALD07-009




Description: Recess Downlight.
Die-cast aluminum body with frosted acrylic diffuser and power supply.
Light Source: LED SMD
Item Size: Ø 220mm x H 9mm
(Hole size Ø 206mm)
Power Consumption: 18W
Voltage: 85-265v
Color Family:
Cool White 4000k - Daylight 6500k - Warm White 3000k

BR-ALD07-009



Description: Recess Downlight.
Die-cast aluminum body with frosted acrylic diffuser and power supply.
Light Source: LED SMD
Dimension: L 190mm x W 190mm x H 9mm
(Hole size: 175mm)
Power Consumption: 15W
Voltage: 85-265v
Color Family:
Cool White 4000k - Daylight 6500k - Warm White 3000k

BR-ALD07-009




Description: Recess Downlight.
Die-cast aluminum body with frosted acrylic diffuser and power supply.
Light Source: LED SMD
Item Size: L 220 mm x W 220mm x H9mm
Power Consumption: 18W
Voltage: 85-265v
Color Family:
Cool White 4000k - Daylight 6500k - Warm White 3000k

LED High Bay



BR13-001 200w

Model: HD-HB03-200W
Description: Dimmable
Beam Angle: 120°
Power Consumption: 200W
Voltage: AC220-240V 50/60Hz
Dimension: Ø 260 x 150mm
Color Family: Daylight 5700k



ALUM.REF 60°ANGLE

Type: Aluminum Reflector for High bay HB13-001
Item Size: Ø 343mm (60°) / Ø 355mm (90°)



ALUM. REF 90°ANGLE

Type: Aluminum Reflector (HB-03) for High bay BR13-001
Item Size: Ø 355mm (90°)

LED Step Light

are compact and energy efficient LED lighting fixtures designed to illuminate staircases, pathways and outdoor areas for safety and ambiance installed directly into steps or adjacent walls.

BR17-001 HZT

Description: Recess. Horizontal.
Light Source: LED SMD
Dimension: 108mm x 71mm x 57mm
Color Temperature: Warm White 3000k
Power Consumption: 4W
Voltage: 220v

